Page 2 of 11

AMENDMENTS TO THE CLAIMS

This Listing of the Claims replaces all prior versions and listings of the claims.

1-68. (Cancelled)

69. (Currently amended) A method of treating prostate cancer comprising:

providing [[an]] a monoclonal antibody or antigen binding portion thereof which binds to prostate specific membrane antigen (PSMA) and competes for binding to PSMA with a monoclonal antibody selected from the group consisting of a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12101, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12109, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12127, and a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-1216 wherein the antibody or antigen binding portion thereof is conjugated to a cytotoxic drug; and

administering the antibody or antigen binding portion thereof to a subject under conditions effective to treat prostate cancer.

- (Previously presented) The method according to claim 69, wherein the prostate cancer is metastatic prostate cancer.
- 71. (Previously presented) The method according to claim 70, wherein the metastatic prostate cancer involves a bone marrow or a lymph node metastasis.
- (Previously presented) The method according to claim 69, wherein the administering is carried out parenterally.
- (Previously presented) The method according to claim 69, wherein the administering is carried out intravenously.

Page 3 of 11

74. (Previously presented) The method according to claim 69, wherein the administering is carried out by intracavitary instillation.

75. (Cancelled)

- 76. (Currently amended) The method according to claim 69, wherein the monoclonal antibody or antigen binding portion thereof is administered following a prostatectomy.
- (Currently amended) The method according to claim 69, wherein the monoclonal antibody or antigen binding portion binds live cells.

78. (Cancelled)

79. (Currently amended) The method according to claim [[78]] 69, wherein the monoclonal antibody is a monoclonal antibody selected from the group consisting of a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12101, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB 12109, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB 12127, and a monoclonal antibody produced by a hybridoma with an ATCC accession number HB 12127.

80-123. (Cancelled)

124. (Currently amended) A method of treating prostate cancer comprising:

providing [[an]] a monoclonal antibody or antigen binding portion thereof which binds to prostate specific membrane antigen (PSMA) and competes for binding to PSMA with a monoclonal antibody selected from the group consisting of an a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12101, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12109, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12127, and a monoclonal antibody produced by

Application No.: 09/357,704 Filed: July 20, 1999 Page 4 of 11

a hybridoma with an ATCC accession number HB-12126, wherein the antibody is labeled with the radiolabel ⁹⁰Y: and

administering the antibody or antigen binding portion thereof to a subject under conditions effective to treat prostate cancer.

125. (Currently amended) A method of treating prostate cancer comprising:

providing [[an]] a monoclonal antibody or antigen binding portion thereof which binds to prostate specific membrane antigen (PSMA) and competes for binding to PSMA with a monoclonal antibody selected from the group consisting of a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12101, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12109, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12127, and a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12126, wherein the antibody is labeled with a radiolabel, and wherein the radiolabel is a beta- or gamma-emitter; and

administering the antibody or antigen binding portion thereof to a subject under conditions effective to treat prostate cancer.

126. (Currently amended) A method of treating prostate cancer comprising:

providing [[an]] a monoclonal antibody or antigen binding portion thereof which binds to prostate specific membrane antigen (PSMA) and competes for binding to PSMA with a monoclonal antibody selected from the group consisting of a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12101, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12109, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12127, and a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12126, wherein the antibody is bound to a cytotoxic drug of bacterial origin; and

administering the antibody or antigen binding portion thereof to a subject under conditions effective to treat prostate cancer.

Application No.: 09/357,704 Filed: July 20, 1999 Page 5 of 11

127. (Currently amended) A method of treating prostate cancer comprising:

providing [[an]] a monoclonal antibody or antigen binding portion thereof which binds to prostate specific membrane antigen (PSMA) and competes for binding to PSMA with a monoclonal antibody selected from the group consisting of a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12101, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12109, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12127, and a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12126, wherein the antibody is bound to a cytotoxic drug of plant origin; and

administering the antibody or antigen binding portion thereof to a subject under conditions effective to treat prostate cancer.

128. (Cancelled)

129. (Currently amended) The method according to claim 69, wherein the monoclonal antibody or antigen binding portion thereof competes for binding to PSMA with the monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12126.

130. (Currently amended) A method according to claim 69, wherein the <u>monoclonal</u> antibody or antigen binding portion thereof competes for binding to PSMA with the monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12109.

131-136. (Cancelled)

137. (Currently amended) The method according to claim 69, 125, 126 or 127, wherein the monoclonal antibody or antigen binding portion thereof is internalized with the PSMA.

138. (Previously presented) The method according to claim 69, 125, 126 or 127, wherein the antigen binding portion is selected from the group consisting of a Fab fragment, a F(ab')₂ fragment, and a Fv fragment.

Application No.: 09/357,704 Filed: July 20, 1999 Page 6 of 11

139. (Cancelled)

- 140. (Currently amended) The method according to claim [[139]] 69, wherein the cytotoxic drug is selected from the group consisting of a therapeutic drug, a compound emitting radiation, a molecule of plant, fungal, or bacterial origin, a biological protein, and a mixture thereof.
- 141. (Previously presented) The method according to claim 140, wherein the cytotoxic drug is a compound emitting radiation.
- 142. (Previously presented) The method according to claim 141, wherein the compound emitting radiation is an alpha-emitter.
- 143. (Previously presented) The method according to claim 142, wherein the alpha-emitter is selected from the group consisting of ²¹²Bi, ²¹³Bi, and ²¹¹At.
- 144. (Previously presented) The method according to claim 141, wherein the compound emitting radiation is a beta-emitter.
- 145. (Previously presented) The method according to claim 144, wherein the beta-emitter is 186Re.
- 146. (Previously presented) The method according to claim 144, wherein the beta-emitter is ⁹⁰Y.
- 147. (Previously presented) The method according to claim 141, wherein the compound emitting radiation is a gamma-emitter.
- 148. (Previously presented) The method according to claim 147, wherein the gamma-emitter is 131 L
- 149. (Cancelled)

Page 7 of 11

150. (Previously presented) The method according to claim 140, wherein the cytotoxic drug is a molecule of bacterial origin.

- 151. (Previously presented) The method according to claim 140, wherein the cytotoxic drug is a molecule of plant origin.
- 152. (Previously presented) The method according to claim 140, wherein the cytotoxic drug is a biological protein.
- 153. (Currently amended) The method according to claim 69, wherein the <u>monoclonal</u> antibody or antigen binding portion thereof further comprises a label.
- 154. (Previously presented) The method according to claim 153, wherein the label is selected from the group consisting of a biologically-active enzyme label, and a radiolabel.
- 155. (Previously presented) The method according to claim 154, wherein the label is a radiolabel selected from the group consisting of ¹¹¹In, ^{99m}Tc, ³²P, ¹²⁵I ¹³¹I, ¹⁴C, ³H and ¹⁸⁸Rh.

156-158. (Cancelled)

- 159. (Currently amended) The method according to claim 69, 125, 126 or 127, wherein the monoclonal antibody or antigen binding portion thereof is in a composition further comprising a pharmaceutically acceptable carrier, excipient, or stabilizer.
- 160. (Currently amended) The method according to claim 69, 125, 126 or 127 wherein the monoclonal antibody or antigen binding portion thereof is administered in conjunction with a second therapeutic modality.

Page 8 of 11

161. (Previously presented) The method according to claim 160, wherein the second

therapeutic modality is selected from the group consisting of surgery, radiation, chemotherapy,

immunotherapy and hormone replacement.

162. (Previously presented) The method according to claim 161, wherein the hormone

replacement comprises treatment with estrogen or an anti-androgen agent.

163. (Previously presented) The method according to claim 162, wherein the anti-androgen

agent is an agent which blocks or inhibits the effects of testosterone.

164. (Previously presented) The method according to claim 126, wherein the prostate cancer is

metastatic prostate cancer.

165. (Previously presented) The method according to claim 164, wherein the metastatic

prostate cancer involves a bone marrow or a lymph node metastasis.

166. (Previously presented) The method according to claim 126, wherein the administering is

carried out parenterally.

167. (Previously presented) The method according to claim 126, wherein the administering is

carried out intravenously.

168. (Previously presented) The method according to claim 126, wherein the administering is

carried out by intracavitary instillation.

169. (Cancelled)

170. (Currently amended) The method according to claim 126, wherein the monoclonal

antibody or antigen binding portion thereof is administered following a prostatectomy.

Page 9 of 11

171. (Currently amended) The method according to claim 126, wherein the <u>monoclonal</u> antibody or antigen binding portion binds live cells.

172. (Currently amended) The method according to claim 126, wherein the monoclonal antibody is a monoclonal antibody selected from the group consisting of a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12101, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12109, a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12127, and a monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12127.

173-185. (Cancelled)

186. (Currently amended) The method according to claim 126, wherein the monoclonal antibody or antigen binding portion thereof competes for binding to PSMA with the monoclonal antibody produced by a hybridoma with an ATCC accession number HB-12126.

187 -189. (Cancelled)

190. (Previously presented) The method according to claim 69, 124, 125, 126, or 127, wherein the method of treating prostate cancer is a method that prevents the progression of prostate cancer or delays the progression of prostate cancer.

191. (New) The method according to claim 69, wherein the monoclonal antibody is produced by a hybridoma with an ATCC accession number HB-12109.

192. (New) The method according to claim 69, wherein the monoclonal antibody is produced by a hybridoma with an ATCC accession number HB-12127.

193. (New) The method according to claim 69, wherein the monoclonal antibody is produced by a hybridoma with an ATCC accession number HB-12126.

Page 10 of 11

194. (New) The method according to claim 126, wherein the monoclonal antibody is produced by a hybridoma with an ATCC accession number HB-12109.

- 195. (New) The method according to claim 126, wherein the monoclonal antibody is produced by a hybridoma with an ATCC accession number HB-12127.
- 196. (New) The method according to claim 126, wherein the monoclonal antibody is produced by a hybridoma with an ATCC accession number HB-12126.